

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.



Subscribe Register Login
(Full Service) (Limited Service, Free)

Search: ☒ The ACM Digital Library ☐ The Guide

(elctronic camera) and ((print or printing) same (moving membe

THE ACM DIGITAL LIBRARY

Feedback

Terms used

elctronic camera and print or printing same moving member and flash or lens cover and printer

Sort results
by

relevance

☒ Save results to a Binder

☒ Search Tips

☐ Open results in a new window

Display results

expanded form

Results 1 - 20 of 200

Result page: **1** 2 3 4 5 6 7 8 9

Best 200 shown

1 Is paper safer? The role of paper flight strips in air traffic control

Wendy E. MacKay

December 1999

ACM Transactions on Computer-Human Interaction (TOCHI),

Full text available: pdf(1.13 MB)

Additional Information: full citation, abstract, references, citi

Air traffic control is a complex, safety-critical activity, with well-established an attempts to automate the existing system have failed because controllers rem paper flight strip. This article describes a four-month intensive study of a tean understand their use of paper flight strips. The article also describes a compar rooms in Franc ...

Keywords: activity theory, affordances, air traffic control, annotation, ethnogr awareness, safety factors

2 Level II technical support in a distributed computing environment

Tim Leehane

September 1996

Proceedings of the 24th annual ACM SIGUCCS conference on User

Full text available: pdf(5.73 MB)

Additional Information: full citation, references, index terms

	Type	L #	Hits	Search Text	DBs
1	BRS	L8	48476	7 and (print or printing or moving)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L9	3746	8 and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L10	92	9 and (moving adj member)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L14	165	348/\$.cccls. and (lens near3 cap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L15	371	348/\$.cccls. and (flash same (print\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	5925	396/\$.cccls. and (print or printing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	3205	1 and (select\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	2361	2 and (move or moved or moving)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	0	3 and (selct\$4 same mov\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	980	3 and (select\$4 same mov\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	9	5 and (moving adj member)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
1	BRS	L7	52215 1	yamamoto.in. or murakami.in. or ishii.in. or fukuda.in. or tanaka.in. or minato.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L8	48476	7 and (print or printing or moving)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L9	3746	8 and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L10	92	9 and (moving adj member)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
1	BRS	L2	38894	camera and printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L3	31304	2 and image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L4	53589	(digital or electronic) adj camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L5	11108	4 and printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L6	4548	5 and (lens or flash or strobe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L7	190	6 and ((printing or print) adj mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L25	87	348/333.06-333.07.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB